

Page 1/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024 Version number 6 (replaces version 5) Revision: 25.02.2024

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name Nafufill KMH

1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use SU22 Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

· Application of the substance

/ the mixture Mineral coating

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

msds@mc-bauchemie.de

1.4 Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

regulation.

· Hazard pictograms





GHS05 GHS07

· Signal word Danger

Hazard-determining

Cement, portland, chemicals components of labelling:

Cr(VI)<2ppm

(Contd. on page 2)



Page 2/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024 Version number 6 (replaces version 5) Revision: 25.02.2024

#### Trade name Nafufill KMH

(Contd. of page 1)

· Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

• Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/

spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it

before reuse.

P403+P233 Store in a well-ventilated place. Keep container

tightly closed.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:			
CAS: 65997-15-1 EINECS: 266-043-4	Cement, portland, chemicals Cr(VI)<2ppm	30-60%	
	Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335		
CAS: 7727-43-7 EINECS: 231-784-4	barium sulphate, natural substance with a Community workplace exposure limit	<5%	
CAS: 532-32-1 EINECS: 208-534-8	sodium benzoate Eye Irrit. 2, H319	<1.5%	

• Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· **After inhalation** Supply fresh air.

After skin contact Instantly wash with water and soap and rinse thoroughly.
 After eye contact Rinse opened eye for several minutes under running water.

Seek medical treatment.

· After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

GB



Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024 Version number 6 (replaces version 5) Revision: 25.02.2024

Trade name Nafufill KMH

(Contd. of page 2)

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or

mixture No further relevant information available.

5.3 Advice for firefighters

· Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Wear protective clothing.

· 6.2 Environmental

precautions: Do not allow product to reach sewage system or water bodies.

· 6.3 Methods and material for

containment and cleaning up: Collect mechanically.

· 6.4 Reference to other

**sections** See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

Requirements to be met by

storerooms and containers: No special requirements.

Information about storage in

one common storage facility: Store away from water.

· Further information about

**storage conditions:** Store under dry conditions.

· Storage class 13

GB -



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024 Version number 6 (replaces version 5) Revision: 25.02.2024

Trade name Nafufill KMH

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 65997-15-1 Cement, portland, chemicals

Cr(VI)<2ppm

WEL Long-term value: 10\* 4\*\* mg/m³

\*inhalable dust \*\*respirable dust

CAS: 7727-43-7 barium sulphate, natural

WEL Long-term value: 10\* 4\*\* mg/m³

\*inhalable dust \*\*respirable dust

· DNELs

CAS: 65997-15-1 Cement, portland, chemicals

Cr(VI)<2ppm

Inhalative DNEL 1 mg/m³ (ArL)

CAS: 7727-43-7 barium sulphate, natural

Inhalative DNEL 10 mg/m³ (ArL)

CAS: 532-32-1 sodium benzoate

Oral DNEL 25 mg/kg bw/Tag (ArL)

Dermal DNEL 34.7 mg/kg bw/day (ArL)

Inhalative DNEL 10.4 mg/m³ (ArL)

PNECs

CAS: 7727-43-7 barium sulphate, natural

PNEC aqua 115 µg/l (Freshwater)

PNEC 62.2 mg/l (Kla)

PNEC 207.7 mg/kg dwt (Bod)

600.4 mg/kg dwt (Fresh water sediment)

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

**hygienic measures** Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

• Breathing equipment: Use breathing protection only when aerosol or mist is formed.

In case of brief exposure or low pollution or when application is performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filter apparatus. In case of intensive or longer exposure use breathing

apparatus that is independent of circulating air.

(Contd. on page 5)



Page 5/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024 Version number 6 (replaces version 5) Revision: 25.02.2024

#### Trade name Nafufill KMH

(Contd. of page 4)

· Hand protection Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye/face protection Not required.

Body protection: Protective work clothing.

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: Grey
Smell: Odourless
Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range

Not applicable
Not determined

· Flash point:
 Not applicable
 pH
 Not applicable.

· Viscosity:

· Kinematic viscosity
· dynamic:

Not applicable.

Not applicable.

· Solubility

Water: UnsolubleSteam pressure: Not applicable.

Density and/or relative density

- **Density** Not determined

· 9.2 Other information

· Appearance:

· Form: Powder

· Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive.

(Contd. on page 6)





# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024 Version number 6 (replaces version 5) Revision: 25.02.2024

#### Trade name Nafufill KMH

(Contd. of page 5)

classes  Explosives  Voice Flammable gases  Oxidising gases  Gases under pressure  Flammable liquids  Flammable solids  Self-reactive substances and mixtures  Pyrophoric liquids  Pyrophoric solids  Self-heating substances and mixtures  Substances and mixtures  Substances and mixtures, which emit flammable gases in contact with water  Voice  Vo	
<ul> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures</li> <li>Substances and mixtures</li> <li>Substances and mixtures, which emit flammable gases in contact with water</li> </ul>	
· Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures Void	1
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures Substances and mixtures Flammable gases in contact with water	1
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	'
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	1
Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	1
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	'
Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	'
Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Voice	'
<ul> <li>Pyrophoric solids</li> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures, which emit</li> <li>flammable gases in contact with water</li> </ul>	'
Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Void	1
Substances and mixtures, which emit flammable gases in contact with water Voice	'
· Oxidisina liquids Voice	1
Oxidioning riquido VOIC	1
· Oxidising solids Void	1
· Organic peroxides Void	1
· Corrosive to metals Void	1
· Desensitised explosives Void	1

## **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

# **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 65997-15-1 Cement, portland, chemicals

Cr(VI)<2ppm

Dermal LD50 2000 mg/kg (rabbit)

Inhalative LC50/4 h 5 mg/l (rat)

(Contd. on page 7)



Page 7/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024 Version number 6 (replaces version 5) Revision: 25.02.2024

#### Trade name Nafufill KMH

(Contd. of page 6)

 CAS: 7727-43-7 barium sulphate, natural

 Oral
 LD50
 >5000 mg/kg (rat)

 CAS: 532-32-1 sodium benzoate

Oral LD50 3450 mg/kg (rat)

Skin corrosion/irritation
 Serious eye damage/irritation
 Causes skin irritation.
 Causes serious eye damage.

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

· STOT-single exposure May cause respiratory irritation.

• STOT-repeated exposure
• Aspiration hazard

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 532-32-1 sodium benzoate

EC50/72h >30.5 mg/l (Pseudokirchneriella subcapitata)

LC50/96h >100 mg/l (Pimephales promelas)

>100 mg/l (Daphnia magna)

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

#### SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

(Contd. on page 8)



Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024 Version number 6 (replaces version 5) Revision: 25.02.2024

#### Trade name Nafufill KMH

(Contd. of page 7)

· Waste disposal key number: 91206

· Uncleaned packagings:

• Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

SECTION 14: Transport informa	uon
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	ing to Not applicable.
UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the

substance or mixture No further relevant information available.

· Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

(Contd. on page 9)



Page 9/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.02.2024 Version number 6 (replaces version 5) Revision: 25.02.2024

Trade name Nafufill KMH

(Contd. of page 8)

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

· Department issuing data

Environment protection department. specification sheet:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* \* Data compared to the previous version altered.